



PERMIT SET
22 OCTOBER 2016


22 OCTOBER 2016

**EDMONDS FAMILY
CHIROPRACTIC**
23122 100TH AVE WEST
EDMONDS WA.


NOV 03 2016
DEVELOPMENT SERVICES C
CITY OF EDMONDS

REMODELED FLOOR PLANS


A 2.0



③ REMODELED ROOF PLAN



Ⓐ REMODELED FOUNDATION PLAN



② REMODELED MAIN FLOOR PLAN

Note #1: Existing beam above to be replaced
Note #2: Finishes by owner.
Note #3: Existing water heater to remain.
Note #4: New exterior door: 36" w x 80" H Solid
Wood door (Typ.)
Note #5: Existing furnace to remain.
Note #6: Interior doors: paint grade, solid core
wood doors, 36x80 U.N.O.
Note #7: Pocket door: 36x80, wood door
Note #9:
Note #10:
Note #11:

		Demolished walls
		Existing walls to remain.
		New interior walls, 2x4 wood studs @16' O.C.
		New interior walls, 2x4 wood studs @16' O.C. Lead shielding per Physicists requirements.
		New exterior walls, 2x6 wood studs @16' O.C. w/R 21 bat insulation and cementitious fiber board, plank siding.

- (S) SMOKE DETECTORS HARDWIRED AND INTERCONNECTED TO SOUND ALL ALARMS WHEN ONE DETECTOR SENSES SMOKE. PROVIDE BATTERY BACKUP FOR EACH DETECTOR.
- (CO) CARBON MONOXIDE DETECTOR HARDWIRED AND INTERCONNECTED TO SOUND ALL ALARMS WHEN ONE DETECTOR SENSES 'CO'. PROVIDE BATTERY BACKUP AT EACH DETECTOR.
- (F) EXHAUST FAN : BATHROOM 110CFM, LAUNDRY 90CFM.

ALL EXHAUST FANS TO VENT DIRECTLY TO EXTERIOR. FANS LOCATED WITHIN 4 FEET OF INTERIOR GRILLE SHALL HAVE A SONE RATING OF 1.0 OR LESS.

[illegible]