

7768

19304 83RD PL W

NOTICE:

No warranty of accuracy.

The information shown on the attached map(s) was compiled for use by the City of Edmonds, its Employees and Consultants. The City of Edmonds does not warrant the accuracy of anything set forth on these map(s). Any person or entity requesting a copy should conduct an independent inquiry regarding the information shown on the map(s), including, but not limited to, the location of any sewer stub shown. Such sewer stubs may or may not exist and may or may not exist at the location shown. Neither the City of Edmonds nor its employees or officers shall be liable for the information given on this map(s), nor for any one representation provided based upon said map(s).

APPLICATION

LYNN PLANT

The City of Edmonds STREET FILE

310-07900

for SIDE SEWER PERMIT
NEW CONSTRUCTION REPAIRS

EASEMENT No. 368

L10 139

OWNER Ernest A. Sisson

CONTRACTOR Redford & Son

PERMIT No. 1611


ADDRESS 19304 83rd Pl. West

LEGAL DESCRIPTION: LOT No. 21

BLOCK No.

NAME OF ADDITION Sierra Village Div. H.

APPROVED
FEB 1 1967



S ←

83rd Pl. West

→

N

APPROVED:

DATE Feb. 13, 1967 BY Pete Berg

SIDE SEWER PERMIT

ADDRESS..... 19304 - 83rd Place West.....

OWNER..... Ernest A. Sisson..... CONTRACTOR..... Redford & Son.....

Permission is granted February 13, 1967, for days, to REPAIR or CONNECT a side sewer
with City Sewers in accordance with application on file and governing ordinances.

ATTENTION IS CALLED TO THE FOLLOWING:

- NOTE No. 1—The owners of the property may obtain a permit to construct sewer inside property line. A licensed Side Sewer Contractor must be employed to construct side sewer in street area. Do not cover any portion of sewer before it has been inspected.
- NOTE No. 2—Obtain full information regarding Ordinance 11.16.030 and Regulations governing side sewers when you get permit.
- NOTE No. 3—Top of side sewer must have at least 30 inches coverage at property line and 12 inches inside property line; minimum grade of 2%. No bends in grade sharper than $\frac{1}{4}$ will be permitted.
- NOTE No. 4—Trenches in street must be water settled and surface of street restored to original condition. Contractors shall be responsible for failure due to improper work which may develop within one year of completion.
- NOTE No. 5—It is unlawful to alter or do any other work than is provided for in the permit, or to do any work on the main sewer or its appurtenances except to insert the pipe into the wye.