

7536

20031 82ND AVE W

The City of Edmonds STREET FILE

APPLICATION

for
SIDE SEWER PERMIT

NEW CONSTRUCTION REPAIRS

EASEMENT No.

210161

OWNER WILLIAM MCNAMARA

CONTRACTOR CASCADE SEWERS

PERMIT No. 3492


ADDRESS 20031 82ND AVE.

LEGAL DESCRIPTION: LOT No. 8

BLOCK No.

NAME OF ADDITION SHALIMAR PARK

(MH)



APPROVED

OCT 14 1969

82ND W

Approved:

DATE 10-14-69

By [Signature]

NOTICE:

No warranty of accuracy.

The information shown on the attached map(s) was compiled for use by the City of Edmonds, its Employees and Consultants. The City of Edmonds does not warrant the accuracy of anything set forth on these map(s). Any person or entity requesting a copy should conduct an independent inquiry regarding the information shown on the map(s), including, but not limited to, the location of any sewer stub shown. Such sewer stubs may or may not exist and may or may not exist at the location shown. Neither the City of Edmonds nor its employees or officers shall be liable for the information given on this map(s), nor for any one representation provided based upon said map(s).

CITY OF EDMONDS
CIVIC CENTER—WATER-SEWER DEPARTMENT
SIDE SEWER PERMIT

Call Prospect 6-1107 when work
is ready for inspection. (No inspec-
tions Saturday, Sunday or holidays.)

No 3496

ADDRESS..... 20031 - 82nd Place West

OWNER..... William McNamara..... CONTRACTOR..... Cascade Sewers

Permission is granted Oct. 14, 1969, for days to REPAIR or CONNECT a side sewer
with City Sewers in accordance with application on file and governing ordinances.

ATTENTION IS CALLED TO THE FOLLOWING:
NOTE No. 1.—The owners of the property may obtain a permit to construct sewer inside property line. A licensed Side Sewer Contractor must be employed to construct side sewer in street area. Do not cover any portion of sewer before it has been inspected.
NOTE No. 2.—Obtain full information regarding Ordinance 11.16.030 and Regulations governing side sewers when you get permit.
NOTE No. 3.—Top of side sewer must have at least 30 inches coverage at property line and 12 inches inside property line; minimum grade of 2%. No bends in grade sharper than 1/4 will be permitted.
NOTE No. 4.—Trenches in street must be water settled and surface of street restored to original condition. Contractors shall be responsible for failure due to improper work which may develop within one year of completion.
NOTE No. 5.—It is unlawful to alter or do any other work than is provided for in the permit, or to do any work on the main sewer or its appurtenances except to insert the pipe into the wye.